

An NSF-awarded Digital Engineering Tool for Integrated System Reliability Assessment

Kazuhira Okumoto, Ph. D., CEO
Sakura Software Solutions, LLC

Overview and Outline


- Background and Introduction
- FUSION Overview
- Constant Software Failure Rate
- Intelligent Graphical Editor (iGRED) for Reliability Block Diagrams (RBD)
- Summary & Conclusions
- Next Steps and Future Work



Background and Introduction

- Software Development Process vs. Defect Injection & Removal -

Software operational failures account for 60–80% of system issues.



Gap in current approaches




Background and Introduction

- Software defect curves: Internal vs. Customer-found defects -

Can we use customer-found defects to demonstrate a constant software failure rate?

Answering this question has direct implications for **how we model, predict, and improve software quality**



Overview and Outline



- Background and Introduction
- FUSION Overview
- Constant Software Failure Rate
- Intelligent Graphical Editor (iGRED) for Reliability Block Diagrams (RBD)
- Summary & Conclusions
- Next Steps and Future Work



FUSION Overview

- A Digital Engineering Tool for Integrated Software and Hardware Reliability -



The Challenge

- Customer-found defects do not follow constant failure rates
- Traditional hardware models fail to capture software failure dynamics
- Misaligned software-hardware reliability leads to inaccurate system evaluations
- Existing tools lack integrated analysis across software and hardware components




The Solution: FUSION

- Integrates software and hardware reliability in a unified cloud-based platform
- Models non-constant software failure rates using advanced analytics
- Features intelligent, interactive Reliability Block Diagrams (RBDs)
- Designed for system integrators and service providers managing complex systems



FUSION Overview

- A Digital Engineering Tool for Integrated Software and Hardware Reliability -







Overview and Outline



- Background and Introduction
- FUSION Overview
- Constant Software Failure Rate
- Intelligent Graphical Editor (iGRED) for Reliability Block Diagrams (RBD)
- Summary & Conclusions
- Next Steps and Future Work



Customer Defect Prediction



● We assume multiple straight lines can describe defect trends. See the chart.

● Algorithm to:

- Automatically identify key turning points (**inflection points**)
- Generate a series of straight lines from these points

● Implement the algorithm in Python and port it to the cloud.

● Create clear, visualized output of the predictions.

Validate Effectiveness: Verify the algorithm's effectiveness using **multiple datasets**.




Customer Defect Prediction

Piece-wise linear modeling reveals inflection points tied to **deployment events**, enhancing defect trend predictions.

$$m(x) = m(x_{j-1}) + \theta_j (x - x_{j-1})$$

for $x_{j-1} \leq x \leq x_j$




Customer Defect Prediction – Sample Output

- Fusion automatically identifies inflection points to generate multiple straight lines to describe the entire defect trend

Cumulative Defect Prediction

- Fusion's model closely tracks real defect accumulation over time, validating prediction accuracy across deployment phases.
- Piece-wise linear segments reveal trend shifts, offering insights into reliability changes post-deployment.




Customer Defect Prediction – Sample Output


- Fusion automatically identifies inflection points to generate multiple straight lines to describe the entire defect trend

Weekly Defect Prediction

- **Fusion identifies stable periods of defect generation**, smoothing out noisy weekly variations in actual data.
- **Inflection-based prediction captures defect rate shifts**, enabling proactive quality and maintenance decisions.



Software Failure Rate Prediction



The **transformation function** will effectively map the defect curve into the failure curve. See the chart.

$$n(u) = f(m(x))$$
$$n(u) = n(u_{j-1}) + \lambda_j (u - u_{j-1}) \text{ for } u_{j-1} \leq u \leq u_j$$

Transformation function:

$$u = \alpha + \beta x$$


$$n(u) = \gamma m(x)$$



Software Failure Rate Prediction

Customer Defects vs. Failures

- **Fusion accurately models both defect and failure accumulation,** capturing real-world divergence between software issues and system-level failures.
- **Predictive insights into failure rates (0.56/week) vs. defect rates (6.11/week)** enable better prioritization and reliability planning




Note: Failures = “Critical” software defects



Software Failure Rate Prediction – Sample Output

- FUSION automatically converts the predicted customer defect curve into a software failure curve using a transformation function







The slope right after the deployment represents the failure rate

Software Failure Rate Prediction – A Smaller Project Example

The software defect rate at deployment is 0.93 defects/week or 48.6 defects/year. [?](#)

- **Fusion accurately predicts both defect and failure rates, even in projects with limited data and low volume.**
- **Inflection-based modeling remains effective, capturing subtle trend shifts across deployment events.**



Overview and Outline


- Background and Introduction
- FUSION Overview
- Constant Software Failure Rate
- Intelligent Graphical Editor (iGRED) for Reliability Block Diagrams (RBD)
- Summary & Conclusions
- Next Steps and Future Work



Intelligent Graphical Editor (iGRED) for Reliability Block Diagrams (RBDs)

1. Interactive creation of RBDs for software and hardware systems with pre-configured templates (single, parallel, series, k-out-of-n)

After creating a new diagram name, drag and drop the diagram template into the space below by following the “How to use” instructions.



The screenshot shows the iGRED interface with the following details:

- Header:** Shows the diagram name "1. Single Unit", a duration of "1 year", a "Save" button, and a "+ New Diagram" button.
- Central Area:** A "How to use:" box with instructions: "Drag components from the palette to build your reliability diagram:" and a list: "• Drop on an edge to add a node in series", "• Drop on an existing node to create parallel relationship", and "• Drop on a split node to add a parallel branch".
- Component Palette:** A sidebar titled "Component Pal" with four categories: "Single Node" (selected), "K of N", "Hot Standby", and "Cold Standby".
- Diagram:** A series RBD labeled "Unit A" consisting of a "Software" component (red) and a "Hardware" component (green) connected in series between nodes "S" and "E".



Intelligent Graphical Editor (iGRED) for Reliability Block Diagrams (RBDs)

2. User inputs are: Failure rate and mean repair time for software and hardware

Clicking a node will open a pop-up window for user input.

The screenshot shows the iGRED interface. In the foreground, a 'Single Node Configuration' dialog box is open. The 'Unit name' is set to 'Unit A'. The dialog contains a table with two columns: 'Hardware' and 'Software'. The table rows are:

Metrics	Unit A	
	Hardware	Software
Failure Rate (Failures/Year)	0.15	0.6
Average Recovery Time (Minutes)	240	120


At the bottom of the dialog are 'Delete', 'Cancel', and 'Save' buttons. In the background, a Reliability Block Diagram (RBD) is visible. It consists of a 'Hardware' block connected between two nodes, 'S' (Supply) and 'E' (End). A 'Component Palette' sidebar on the left shows a 'Single Node' component. The top right of the screen shows a 'Logout' button and a '+ New Diagram' button.



Intelligent Graphical Editor (iGRED) for Reliability Block Diagrams (RBDs)

- Built-in real-time reliability metric calculations: Failure rate, MTTF, Reliability, MTTR, MTBF, Availability)

Save the diagram and click the Reliability Metrics Summary menu. The system will display the reliability metrics table and the bottleneck nodes.



The screenshot shows the iGRED software interface. At the top, there is a toolbar with icons for zoom, rotate, and lock. Below the toolbar is a reliability block diagram (RBD) titled "Unit H". The diagram consists of a central rectangular block divided into two horizontal sections: "Software" (green) on top and "Hardware" (red) on the bottom. This central block is connected to two circular nodes on the left labeled "S" and "E" on the right. The entire diagram is set against a light gray background with a grid. To the right of the diagram, there is a "React Flow" label. Below the diagram, the text "Case H" is displayed. Under "Case H", the "Bottleneck Nodes" section shows "Availability: Unit H - hardware (Availability: 99.772%)". The "MTTF" section shows "MTTF: Unit H - software (MTTF: 0.3333 Years/Failures)". Below these sections is a table titled "Reliability Metrics" with the following data:

Reliability Metrics	Unit	Hardware	Software	System (SW+HW)
Failure Rate	Failures/Year	2.000	3.000	5.000
MTTF (Mean Time To Failure)	Years/Failure	0.5000	0.3333	0.2000
Reliability at one year	Percentage	13.5	5.0	0.7
MTTR (Mean Time To Repair)	Minutes/Repair	600.000	200.000	360.000
MTBF (Mean Time Between Failures)	Years/Failure	0.5011	0.3337	0.2007
Availability	Percentage	99.772	99.886	99.659



Intelligent Graphical Editor (iGRED) for Reliability Block Diagrams (RBDs)

- Sample Metrics Formulas -

A Single-Unit Configuration


Clicking
“Show Metrics
Formulas” will
open a new
window for
formulas.

Metric	Formulas		
	Hardware	Software	System
Failure Rate	λ_{hw}	λ_{sw}	$\lambda_{hw} + \lambda_{sw}$
MTTF	$\frac{1}{\lambda_{hw}}$	$\frac{1}{\lambda_{sw}}$	$\frac{1}{\lambda_{sys}}$
Reliability	$e^{-\lambda_{hw}t}$	$e^{-\lambda_{sw}t}$	$e^{-\lambda_{sys}t}$
MTBF	$MTTF_{hw} + MTTR_{hw}$	$MTTF_{sw} + MTTR_{sw}$	$MTTF_{sys} + MTTR_{sys}$
MTTR	$\frac{1}{\mu_{hw}}$	$\frac{1}{\mu_{sw}}$	$\frac{1}{\mu_{sys}} = \left(\frac{\lambda_{hw}}{\mu_{hw}} + \frac{\lambda_{sw}}{\mu_{sw}} \right) / \lambda_{sys}$
Availability	$\frac{MTTF_{hw}}{MTBF_{hw}}$	$\frac{MTTF_{sw}}{MTBF_{sw}}$	$\frac{MTTF_{sys}}{MTBF_{sys}}$



Intelligent Graphical Editor (iGRED) for Reliability Block Diagrams (RBDs)

- Interactive creation of RBDs for software and hardware systems with pre-configured templates (single, parallel, series, k-out-of-n) – More complex example



Overview and Outline

- Background and Introduction
- FUSION Overview
- Constant Software Failure Rate
- Intelligent Graphical Editor (iGRED) for Reliability Block Diagrams (RBD)

→

- Summary & Conclusions
- Next Steps and Future Work



Summary & Conclusions


- Introduced **FUSION** — a groundbreaking, cloud-native digital engineering platform developed with support from the National Science Foundation.
- FUSION seamlessly integrates **real-world software failure behavior** with **hardware reliability models**, moving beyond static lookup tables to data-driven accuracy.
- Through **interactive reliability block diagrams (RBDs)** and **automated predictive analytics**, FUSION delivers **actionable, system-level insights** on reliability, availability, and performance — empowering engineers to make informed decisions across complex software–hardware ecosystems.



Next Steps and Future Work

-AI-powered Online Digital Engineering Tool

An AI-powered digital engineering solution, **FORTIS**, will unify the capabilities of STAR (software quality assurance) and FUSION (system reliability analysis) into a single, end-to-end platform.



FORTIS Target Customers

- FUSION: System integrators and service providers
- STAR: Software development organizations

References

- K. Okumoto, "Digital Engineering-driven Software Quality Assurance-as-a-Service," in Proc. 28th ISSAT Int. Conf. Reliability and Quality in Design (RQD), 2023.
- H. Pham, Software Reliability, Springer, Berlin, Heidelberg, 1999.
- K. Trivedi, Reliability and Availability of Hardware-Software Systems: Stochastic Reliability Models of Real Systems, 2021, 10.13140/RG.2.2.30286.48960.
- Relyence, "A Deep Dive into System Modeling Using Reliability Block Diagram (RBD) Analysis," Technical report, 2021.

